

Product data sheet

Specifications



Thorsman Multifunction Cable Tracer

IMT23206

Main

Range	Thorsman
Product or component type	Multi-function wire tracer
Supply	Receiver 4 battery 1.5 V LR41/SR41 Transmitter 2 battery 1.5 V

Complementary

Device composition	Transmitter - to generate a distinct tone in wire Receiver - to pick up the tone
Local signaling	LED operating
User language	Spanish German Polish Hungarian Portuguese French
Height	183 mm
Width	80 mm
Depth	46 mm
Product weight	220 g with battery

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	304.0 g
Package 1 Height	5.4 cm
Package 1 width	17.4 cm
Package 1 Length	29.5 cm
Unit Type of Package 2	S03
Number of Units in Package 2	12
Package 2 Weight	4.089 kg
Package 2 Height	30 cm
Package 2 width	30 cm
Package 2 Length	40 cm

Offer Sustainability

REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)



Benefits

A multifunction device comprising of a transmitter and remote receiver
Audible
Tracking

Multifunction cable tracer

Description

- The transmitter is a compact hand-held instrument used for electricians to detect and track circuits into wall. Very useful when you need to repair an old electrical circuit
- Must be used when electrical circuits are switched off
- Unenergized electrical wires
- Slim ergonomic receiver receptor
- Telephone lines
- Coaxial cables
- Two crocodile clips
- DC automotive wires
- Power: 1.5 V (LR41/SR41) x4 (R)
- Power: 1.5 V (AAA) x2 (T)
- Weight: approx. 220 g (with battery).

Application

- Designed to generate a distinct tone in any unenergized wire or cable. This tone can be picked up with the tracker receiver. An LED acts as a visual indicator to show that the unit is on.

Range

	Type (language of packaging and instructions)	Size mm (HxWxT)	Ref. No.
	Multifunction cable tracer (English, Danish, Finnish, Norwegian & Swedish)	183x80x46	IMT23106
	Multifunction cable tracer (French, Spanish, German, Portuguese, Polish, Hungarian)	183x80x46	IMT23206

Infrared thermometer

Description

- Hand-held digital infrared thermometer for surface temperature measurement.
- Backlight LCD
- Laser pointer
- Temperature range: -20...520°C (-4...968°F)
- Power: 9 V battery
- Weight: approx. 150 g (without battery).

Application

- A variety of non-contact thermo measurement application, including:
 - ☐ automotive
 - ☐ BBQ's
 - ☐ radiator electrical installations
 - ☐ cable wires.

Range

	Type (language of packaging and instructions)	Size mm (HxWxT)	Ref. No.
	Infrared thermometer with LCD readout display (English, Danish, Finnish, Norwegian & Swedish)	180x85x50	IMT23107
	Infrared thermometer with LCD readout display (French, Spanish, German, Portuguese, Polish, Hungarian)	180x85x50	IMT23207



Benefits

Infrared laser measurement
LCD readout display
Complete with hand lanyard and batteries