



Main

Range	Thorsman
Product or component type	Digital detector
Supply	Battery 9 V 6F22

Complementary

Display type	LCD and sound signal
Type of setting	Manual
Device composition	Detector Pencil slider Pencil hole 2 M measure tape
Local signalling	Edge of object detection by icon indicator object detection by spotlight
Control type	Button mark dots on the wall surface Button selection mode
Maximum detection depth	AC mode: <50 mm for 90...250 V at 50...60 Hz Stud mode: wood stud detection of 30 x 30 mm <14 mm Metal mode: iron pipe detection of 20 mm <25 mm
User language	Spanish French Portuguese Hungarian Polish
Height	180 Mm
Width	73 Mm
Depth	32 Mm
Product weight	213 G with battery

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	304.0 G
Package 1 Height	4.4 Cm
Package 1 width	17.6 Cm
Package 1 Length	26 Cm
Unit Type of Package 2	S03
Number of Units in Package 2	18
Package 2 Weight	6.11 Kg
Package 2 Height	30 Cm
Package 2 width	30 Cm
Package 2 Length	40 Cm

Offer Sustainability

EU RoHS Directive	Under investigation
Product Life Status : Commercialised	



Multipurpose digital detector

Description

- Detection depth
- Stud mode: wood stud of 30×30 mm at depth of ≤ 14 mm
- Metal mode: iron pipe of Ø 20 mm at depth of ≤ 25 mm
- AC mode: 50 mm for 90...250 V at 50...60 Hz
- Power: 9 V battery (6F22)
- Weight: approx. 213 g (with battery)
- Always calibrate before each use.

Application

- This unit is an advanced detector. It can detect and locate metal, AC voltage and stud. It can be used in construction, fitment, etc.

+ Benefits

LCD and sound signal indicate findings
2 meter measure tape inside
Pencil slider, pencil hole
Whole alarm icon: when detects an edge of object, the icon appears as an indicator
Spotlight & groove: press when detects an object, the spotlight appears and mark in the groove position
Mark button: press this button to mark dots on the wall surface

Range

	Type (language of packaging and instructions)	Size mm (HxWxT)	Ref. No.
	Multipurpose digital detector (English, Danish, Finnish, Norwegian & Swedish)	180x73x32	IMT23104
	Multipurpose digital detector (French, Spanish, Portuguese, Polish, Hungarian)	180x73x32	IMT23204



3-in-1 detector

Description

- Detection depth
- Stud mode: wood stud of 30×30 mm at depth of ≤ 18 mm
- Metal mode: iron pipe of Ø 25 mm at depth of ≤ 30 mm
- AC mode: 50 mm for 90...250 V at 50...60 Hz
- Power: 9 V battery (6F22)
- Weight: approx. 165 g (with battery)
- Always calibrate before each use.

Application

- This unit is an advanced detector. It can be used in construction, fitment, carpentry, etc.

+ Benefits

Find the stud centre, find wood and metal studs, AC scanning to trace hot wire
Metal scanning for finding nail, pipe, rebar, and other hidden metallic object
Signal indication: when detects an edge of object, the top signal LED lights as an indicator
Spotlight & groove: when detects an object, the spotlight appears and mark in the groove position

Range

	Type (language of packaging and instructions)	Size mm (HxWxT)	Ref. No.
	3 in 1 detector (English, Danish, Finnish, Norwegian & Swedish)	150x66x32	IMT23105